

water capacity (L)	outside diameter (mm)	wall thickness (mm)	drawing	weight (kg)	gas capacity (m3)	length (mm)	bottom shape	working/test pressure
21,5	204	3,7	LA4-0900 ( 21,5L - 42L )	19,8	4,3	800	convex	200/300
24,0	204	3,7	LA4-0900 ( 21,5L - 42L )	22,0	4,8	885	convex	200/300
24,5	204	3,7	LA4-0900 ( 21,5L - 42L )	22,5	4,9	920	convex	200/300
26,0	204	3,7	LA4-0900 ( 21,5L - 42L )	24,0	5,2	975	convex	200/300
30,0	204	3,7	LA4-0900 ( 21,5L - 42L )	26,0	6,0	1095	convex	200/300
35,0	204	3,7	LA4-0900 ( 21,5L - 42L )	29,5	7,0	1260	convex	200/300
42,0	204	3,7	LA4-0900 ( 21,5L - 42L )	35,0	8,4	1500	convex	200/300
22,0	229	4,2	LA4-0902 ( 22L - 52L )	23,0	4,4	700	convex	200/300
25,0	229	4,2	LA4-0902 ( 22L - 52L )	25,5	5,0	775	convex	200/300
26,0	229	4,2	LA4-0902 ( 22L - 52L )	26,0	5,2	800	convex	200/300
27,0	229	4,2	LA4-0902 ( 22L - 52L )	26,6	5,4	825	convex	200/300
30,0	229	4,2	LA4-0902 ( 22L - 52L )	28,5	6,0	900	convex	200/300
32,6	229	4,2	LA4-0902 ( 22L - 52L )	31,0	6,5	965	convex	200/300
33,0	229	4,2	LA4-0902 ( 22L - 52L )	31,3	6,6	975	convex	200/300
35,0	229	4,2	LA4-0902 ( 22L - 52L )	32,5	7,0	1025	convex	200/300
40,0	229	4,2	LA4-0902 ( 22L - 52L )	36,5	8,0	1170	convex	200/300
47,5	229	4,2	LA4-0902 ( 22L - 52L )	42,0	9,5	1375	convex	200/300
22,0	244	4,4	LA4-0903 ( 22L - 55L )	22,5	4,4	650	convex	200/300

23,5	244	4,4	LA4-0903 ( 22L - 55L )	23,5	4,7	680	convex	200/300
30,0	244	4,4	LA4-0903 ( 22L - 55L )	28,0	6,0	820	convex	200/300
32,0	244	4,4	LA4-0903 ( 22L - 55L )	29,0	6,4	849	convex	200/300
32,3	244	4,4	LA4-0903 ( 22L - 55L )	29,3	6,5	860	convex	200/300
34,5	244	4,4	LA4-0903 ( 22L - 55L )	31,5	6,9	895	convex	200/300
34,6	244	4,4	LA4-0903 ( 22L - 55L )	32,0	6,9	915	convex	200/300
35,0	244	4,4	LA4-0903 ( 22L - 55L )	32,5	7,0	925	convex	200/300
45,0	244	4,4	LA4-0903 ( 22L - 55L )	40,0	9,0	1140	convex	200/300
55,0	244	4,4	LA4-0903 ( 22L - 55L )	45,0	11,0	1350	convex	200/300
29,0	273	4,9	LA4-0904 ( 29L - 90L )	29,0	5,8	650	convex	200/300
30,5	273	4,9	LA4-0904 ( 29L - 90L )	30,5	6,1	700	convex	200/300
32,0	273	4,9	LA4-0904 ( 29L - 90L )	31,5	6,4	730	convex	200/300
33,0	273	4,9	LA4-0904 ( 29L - 90L )	32,0	6,6	745	convex	200/300
35,0	273	4,9	LA4-0904 ( 29L - 90L )	33,5	7,0	770	convex	200/300
36,5	273	4,9	LA4-0904 ( 29L - 90L )	35,0	7,3	800	convex	200/300
38,0	273	4,9	LA4-0904 ( 29L - 90L )	36,0	7,6	830	convex	200/300
41,0	273	4,9	LA4-0904 ( 29L - 90L )	38,0	8,2	875	convex	200/300
43,0	273	4,9	LA4-0904 ( 29L - 90L )	39,5	8,6	920	convex	200/300
45,0	273	4,9	LA4-0904 ( 29L - 90L )	40,5	9,0	950	convex	200/300
50,0	273	4,9	LA4-0904 ( 29L - 90L )	45,0	10,0	1050	convex	200/300
60,0	273	4,9	LA4-0904 ( 29L - 90L )	53,0	12,0	1235	convex	200/300
70,0	273	4,9	LA4-0904 ( 29L - 90L )	61,0	14,0	1420	convex	200/300
46,0	320	5,7	LA4-0905 ( 46L - 103L )	47,0	9,2	780	convex	200/300

48,0	320	5,7	LA4-0905 ( 46L - 103L )	48,0	9,6	800	convex	200/300
50,0	320	5,7	LA4-0905 ( 46L - 103L )	49,0	10,0	820	convex	200/300
51,0	320	5,7	LA4-0905 ( 46L - 103L )	49,0	10,2	825	convex	200/300
52,0	320	5,7	LA4-0905 ( 46L - 103L )	50,0	10,4	860	convex	200/300
53,0	320	5,7	LA4-0905 ( 46L - 103L )	50,5	10,6	875	convex	200/300
55,0	320	5,7	LA4-0905 ( 46L - 103L )	52,0	11,0	905	convex	200/300
60,0	320	5,7	LA4-0905 ( 46L - 103L )	56,0	12,0	970	convex	200/300
65,0	320	5,7	LA4-0905 ( 46L - 103L )	60,0	13,0	1040	convex	200/300
70,0	320	5,7	LA4-0905 ( 46L - 103L )	64,0	14,0	1110	convex	200/300
80,0	320	5,7	LA4-0905 ( 46L - 103L )	71,0	16,0	1245	convex	200/300
90,0	320	5,7	LA4-0905 ( 46L - 103L )	80,0	18,0	1380	convex	200/300
57,0	360	7,0	LA4-0690 ( 57L - 155L )	60,5	11,4	770	convex	200/300
60,0	360	7,0	LA4-0690 ( 57L - 155L )	61,5	12,0	800	convex	200/300
65,0	360	7,0	LA4-0690 ( 57L - 155L )	66,0	13,0	850	convex	200/300
70,0	360	7,0	LA4-0690 ( 57L - 155L )	70,0	14,0	900	convex	200/300
75,0	360	7,0	LA4-0690 ( 57L - 155L )	75,0	15,0	955	convex	200/300
80,0	360	7,0	LA4-0690 ( 57L - 155L )	78,0	16,0	1010	convex	200/300
82,0	360	7,0	LA4-0690 ( 57L - 155L )	79,5	16,4	1035	convex	200/300
90,0	360	7,0	LA4-0690 ( 57L - 155L )	84,0	18,0	1120	convex	200/300
100,0	360	7,0	LA4-0690 ( 57L - 155L )	93,0	20,0	1230	convex	200/300
110,0	360	7,0	LA4-0690 ( 57L - 155L )	104,0	22,0	1350	convex	200/300
115,0	360	7,0	LA4-0690 ( 57L - 155L )	115,0	23,0	1400	convex	200/300
150,0	360	7,0	LA4-0690 ( 57L - 155L )	125,0	30,0	1760	convex	200/300

155,0	360	7,0	LA4-0690 ( 57L - 155L )	130,0	31,0	1805	convex	200/300
80,0	406	7,9	LA4-1252 ( 80L - 240L )	92,0	16,0	855	convex	200/300
100,0	406	7,9	LA4-1252 ( 80L - 240L )	107,0	20,0	1030	convex	200/300
143,0	406	7,9	LA4-1252 ( 80L - 240L )	135,0	28,6	1400	convex	200/300
180,0	406	7,9	LA4-1252 ( 80L - 240L )	164,0	36,0	1700	convex	200/300
240,0	406	7,9	LA4-1252 ( 80L - 240L )	215,0	48,0	2200	convex	200/300

Remarks:

Cylinders are R110 and ISO 11439 homologated

All the parameters (diameter, capacity, length, weight) are nominal and may vary within limits allowed by tolerances.